


ATRIUM

Glazed Porcelain

ARCHITECTURAL
CERAMICS



COLORS




Light Grey



Medium Grey



Mocha



Dark Grey

COLORS




24x48 Light Grey



24x24 Light Grey



12x24 Light Grey



2x2 Mosaic
Light Grey



24x48 Medium Grey




24x24 Medium Grey




12x24 Medium Grey




2x2 Mosaic
Light Grey



24x48 Mocha




24x24 Mocha



12x24 Mocha




2x2 Mosaic
Light Grey



24x48 Dark Grey



24x24 Dark Grey



12x24 Dark Grey



2x2 Mosaic
Light Grey









AVAILABLE SIZES	FIELD			MOSAIC	TRIM
	24x48	24x24	12x24	2x2	3.25x12
Light Grey	M	M	M	M	M
Medium Grey	M	M	M	M	M
Mocha	M	M	M	M	M
Dark Grey	M	M	M	M	M

M=Matte finish

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

Atrium reproduces the natural beauty of classic marble while maintaining the long-lasting and durable characteristics of porcelain tiles. Its light veining and rich tonal gradation add a contemporary flair to any design space. Atrium features 4 exquisite colors, Light Grey, Medium Grey, Mocha and Dark Grey in a 12x24, 24x24 and 24x48 size.

INSTALLATION & MAINTENANCE

Atrium may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

ORIGIN: CHINA
 AVAILABLE FINISHES: MATTE
 TYPE: GLAZED PORCELAIN
 EDGE: RECTIFIED
 LOOK: MARBLE
 APPLICATION: FLOOR & WALL
 USE: COMMERCIAL & RESIDENTIAL
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V3 - MODERATE VARIATION
 THICKNESS: 9 MM
 PORCELAIN ENAMEL INSTITUTE SCALE: CLASS 4 - MEDIUM COMMERCIAL, LIGHT INDUSTRIAL AND INSTITUTIONAL, MODERATE SOILING.
 DYNAMIC COEFFICIENT OF FRICTION: >.42
 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS
 WATER ABSORPTION: < 0.5%
 STAIN RESISTANCE: YES
 FROST RESISTANCE: YES
 ENVIRONMENT: N/A

WEBSITE LINKS

www.architecturalceramics.com/Datasheets/ATRIUM.pdf

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850