


BLAST
Glass

ARCHITECTURAL
CERAMICS



COLORS



1x1 Calacatta Malla
Sheet size is 12x12



1x1 Statuario Malla
Sheet size is 12x12



1x1 Pearl
Sheet size is 12x12



1x1 Blend Taupe Malla
Sheet size is 12x12




1x1 Blend Metal Carrara
Sheet size is 12x12




1x1 Grey Silver Mix Malla
Sheet size is 12x12



1x1 Emma Malla
Sheet size is 12x12



0.5x0.5 Pattern
Sheet size is 12x12



1x1 Pewter
Sheet size is 12x12




1x1 Gun Metal
Sheet size is 12x12



1x1 Blend Tan Malla
Sheet size is 12x12

PATTERN



0.5x0.5 Pattern
Sheet size is 12x12



AVAILABLE SIZES	MOSAIC	
	1x1	0.5x0.5
Calacatta Malla	M	
Statuario Malla	M	
Blend Metal Carrara	M/P	
Pearl	M/P	
Grey Silver Mix Malla	M/P	
Emma Malla	M/P	
Blend Taupe Malla	M/P	
Pewter	M/P	
Gun Metal	M/P	
Blend Tan Malla	M/P	
Pattern		M/P

M= Matte finish, M/P=Matte & Polished finish

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

Blast offers a bold and modern option in a hexagonal pressed glass mosaic format. This beautiful 98% recycled material mosaic has a sand blasted finish enhanced by a unique iridescent coat that creates a dramatic effect. Blast comes in 6 unique colors and is available on 12x12 sheets.

INSTALLATION & MAINTENANCE

Blast may be installed using standard glass tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

ORIGIN: CHINA
 AVAILABLE FINISHES: MATTE/POLISHED
 TYPE: GLASS
 EDGE: NON RECTIFIED
 LOOK: MOSAIC
 APPLICATION: FLOOR & WALL
 USE: COMMERCIAL & RESIDENTIAL
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V3 MODERATE VARIATION
 THICKNESS: 4.9 MM (SOLID COLORS), 4 MM (BLENDS)
 PORCELAIN ENAMEL INSTITUTE SCALE: N/A
 DYNAMIC COEFFICIENT OF FRICTION: N/A
 BREAKING STRENGTH: N/A
 WATER ABSORPTION: 0%
 STAIN RESISTANCE: YES
 FROST RESISTANCE: NO
 ENVIRONMENT: 98% RECYCLED CONTENT

WEBSITE LINKS

www.architecturalceramics.com/Datasheets/BLAST.pdf

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850